

#### **Release Notes**

20151000

#### **Table of Contents**

Highlights
SW changes
Changed KB Software
New Targets and Target Services
Implementation instructions

## **Highlights**

13 targets added
Elsevier ScienceDirect automated download & KB loader option
Export in KBART format
Additional features part of this release
Disable the Apache HTTP TRACE Method to prevent Trace Method Support Cross-Site Tracing Vulnerability
Improvements to the Solr logging process









#### **Target Name Change:**

EMERALD\_A-Z\_JOURNALS changed to EMERALD\_A-Z\_CURRENT\_JOURNALS

Targets Removed: as announced in the 20150600 release notes

All are removed based on vendor's recommendation as the collections are no longer available.

KNOVEL ESSENTIALS

KNOVEL COMPLETE

SAGE\_COLLECTIONS\_PLUS\_2007

SAGE COLLECTIONS PLUS 2008

SAGE PREMIER PLUS PACKAGE 2007

SAGE PREMIER PLUS PACKAGE 2008

SAGE\_CSIC\_CROSS\_ACCESS\_PACKAGE

LANDES BIOSCIENCE JOURNALS

TAYLOR\_FRANCIS\_FRESH\_JOURNALS\_COLLECTION\_2013

TAYLOR FRANCIS SCIENCE TECHNOLOGY LIBRARY FRESH JOURNALS

TAYLOR FRANCIS SOCIAL SCIENCE HUMANITIES LIBRARY FRESH JOURNALS

TAYLOR\_FRANCIS\_SOCIAL\_SCIENCE\_HUMANITIES\_WITH\_SCIENCE\_TECHNOLOGY\_FRESH\_JOURNALS

TAYLOR FRANCIS NEW LAUNCH FREE TRIAL 2013

TAYLOR\_FRANCIS\_NEW\_LAUNCH\_FREE\_TRIAL\_2014

## **Targets to be Removed in Revision 20151400:**

The following packages are no longer available:

ELSEVIER\_SD\_AMERICAN\_MED\_INFORMATICS

ELSEVIER\_SD\_AMERICAN\_PSYCHOLOGICAL\_ASSOC

ELSEVIER\_SD\_ANDERSEN\_PUBLISHING\_LTD

ELSEVIER SD CHINA COLLECTION

ELSEVIER\_SD\_COLLECTION

ELSEVIER\_SD\_HEALTH

ELSEVIER\_SD\_SOC\_BIOTECH\_JAPAN

INGENTA\_CONNECT\_CANADIAN\_ASSOCIATION\_OCCUPATIONAL\_THERAPISTS

INGENTA\_CONNECT\_EUROPEAN\_ACOUSTICS\_ASSOC

INGENTA CONNECT EXPERT REVIEWS

INGENTA\_CONNECT\_FUTURE\_DRUGS

INGENTA CONNECT JACKSON PUBLISHING

INGENTA\_CONNECT\_ROYAL\_COLLEGE\_GENERAL\_PR

INGENTA\_CONNECT\_TASH\_PUBLISHING

OVID ACP JOURNAL CLUB

No longer hosted in Highwire:

HIGHWIRE\_PRESS\_AMERICAN\_SOCIETY\_OF\_ANIMAL\_SCIENCE

Publisher is no longer active:

**SWETSWISE** 

CRKN\_SWETS\_ALPSP\_COLLECTION\_2008-2013

ALJC\_SWETSWISE

## Targets to be Removed in the Next Revision (20151100 revision):

NURIMEDIA KOREAN STUDIES BOOKS

WILSON APPLIED SCIENCE AND TECHNOLOGY ABSTRACTS

WILSON\_APPLIED\_SCIENCE\_AND\_TECHNOLOGY\_FULL\_TEXT

WILSON\_ART\_ABSTRACTS

WILSON ART FULL TEXT

WILSON ART INDEX RETROSPECTIVE

WILSON BIOLOGICAL AND AGRICULTURAL INDEX

WILSON\_BOOK\_REVIEW\_DIGEST

WILSON BUSINESS PERIODICALS ABSTRACTS

WILSON\_BUSINESS\_PERIODICALS\_FULL\_TEXT

WILSON\_EDUCATION\_ABSTRACTS

WILSON\_EDUCATION\_FULL\_TEXT

WILSON\_GENERAL\_SCIENCE\_ABSTRACTS

WILSON\_GENERAL\_SCIENCE\_FULL\_TEXT

WILSON\_HUMANITIES\_INDEX
WILSON\_INDEX\_TO\_LEGAL\_PERIODICALS\_AND\_BOOKS
WILSON\_LIBRARY\_LITERATURE\_AND\_INFORMATION\_SCIENCE\_FULL\_TEXT
WILSON\_LIBRARY\_LITERATURE\_AND\_INFORMATION\_SCIENCE\_INDEX
WILSON\_OMNIFILE\_FT\_MEGA
WILSON\_OMNIFILE\_FULLTEXT\_SELECT
WILSON\_OMNIFILE\_V\_FULLTEXT
WILSON\_READERS\_GUIDE\_TO\_PERIODICAL\_LITER
WILSON\_SOCIAL\_SCIENCES\_ABSTRACTS
WILSON\_SOCIAL\_SCIENCES\_FULL\_TEXT

## **Applying the Revision**

The following packages are released: sfx-kbsw-update-20151000.run sfx-kbdb-update-20151000.run sfx-sw-update-4.7.2.run

For directions on applying the revision, refer to the **SFX KB Update** section of the *SFX General User's Guide*.

## **Highlights**

#### Elsevier ScienceDirect Automated Download & KB Loader Option

A new option has been added to SFX to download Elsevier entitlements automatically from their Website and to localize the Elsevier ScienceDirect title lists in SFX. This new feature is available from the Server Admin Utility and provides automated downloading of the holdings file from the Elsevier Website and uploading into SFX. This option can be scheduled to run once a month. Two new dedicated targets have been added to the SFX KB to work with the automated load option. Configuration instructions can be found in the Implementation Instructions.

**Note**: The Elsevier customer ID that you need to activate this service is not yet available from Elsevier; therefore, you cannot activate this service yet. We will provide more information on how to obtain the customer ID when it becomes available.

#### **Export in KBART Format**

A new option has been added to the Advanced Export section of the SFX Admin Center > Export tool, to allow the exporting of SFX holdings information in KBART format. Each target is exported as a separate file, as per KBART format requirements, and all files are compressed into one zip file for easier downloading. The new KBART format is also available in the commandline version of the Export tool and can be defined via the Advanced Export profiles section.

#### **Additional New Features**

A configuration option to restrict access to AZ interfaces (Journals and eBook Search) by IP range.

A new option to schedule the MARCit! process via the Server Admin Utility.

A reorganization of the Server Admin Utility with the addition of the new option Exports/Imports. Existing options related to exporting or importing information, such as MARCit!, Google, and Primo Exports have been moved under this new Exports/Imports option.

## Disable the Apache HTTP TRACE Method to Prevent Trace Method Support Cross-Site Tracing Vulnerability in the Apache Web Server

A script is run automatically during the revision update to disable the Trace method in the <a href="httpd.conf">httpd.conf</a> file of the reverse proxy and sfxglb41 instance.

**Important:** Note that the reverse proxy and the global instance's apache servers are restarted automatically as part of the revision update in order for the new settings to take effect.

This means that there will be a very short downtime during the apache restart.

**Note:** There is a small issue for customers who do not run the revision as root but do run the reverse proxy as root. In this case they will be prompted for the UNIX root password at the end of the revision. If the UNIX root password is not available at this time, it is possible to interrupt the process with CTRL+C and the revision will still finish correctly. The only problem is that the security fix for TRACE does not apply until the next restart of the reverse proxy.

#### Improvements to the Solr Logging Process

Solr is used for the eBook Search interface. The following changes have been made:

- 1. The Solr log file (solr.log) is now written to the SOLR\_HOME/logs/ directory (instead of <global user>/logs/ directory).
- 2. The log is configured as a weekly rotational log.
- 3. The log format has been changed to display the date in a user-friendly way.

**Important:** Note that a restart of Solr is performed automatically as part of the revision update in order for the new settings to take effect. During the restart there is downtime of the eBook Search for about one minute.

Changed Programs – SFX So
---------------------------

Type of Component	Description	Related Documentation	File List	Defect	SI
Change				Number	Number
Enhancement APIs - External Integration	Elsevier ScienceDirect automated download and KB loader option. A new option in the Server Admin Utility provides automated downloading and localization of the Elsevier ScienceDirect targets in the SFX KnowledgeBase. This option can be scheduled to retrieve an updated holdings file from Elsevier and use it to localize the SFX KB once a month. Two new dedicated targets have been added to the SFX KB to work with the automated load option. Configuration instructions can be found in the Implementation Instructions.  Note: The Elsevier customer ID that you need to activate this service is not yet available from Elsevier; therefore, you cannot activate this service yet. We will provide more information on how to obtain the customer ID when it becomes available.	System Administration Guide , SFX Target Configuration Guide , Using SFX in a Consortium Environment .	admin/server_admin_util admin/kbtools/dataloader.pl admin/kbtools/elsevier_sd_autoloader.c ron admin/kbtools/elsevier_sd_autoloader.p l admin/kbtools/elsevier_sd_autoloader_scheduler.pl config/central_management.config_clou d config/central_management.config_ config/elsevier_sd_api.config_ config/elsevier_sd_api.config_ config/elsevier_sd_autoloader.config_ lib/Admin/KBManager/Institute.pm lib/Admin/Tool/DataLoader.pm lib/Automation/BuisnessLogic.pm lib/Automation/Engine.pm lib/Automation/BuisnessLogic/ElsevierS D.pm lib/Automation/BuisnessLogic/ElsevierS DStatics.pm lib/Automation/BuisnessLogic/ElsevierS DUtilManager.pm lib/Automation/BuisnessLogic/KBARTS plitter.pm lib/Automation/Downloader/ElsevierSD.pm lib/Automation/Downloader/ElsevierSD.pm lib/Automation/Loader/ElsevierSD.pm lib/Automation/Utils/EmailUtil.pm lib/Automation/Utils/ReportUtil.pm	SFX-5202	

Type of Change	Component	Description	Related Documentation	File List		SI Number
Enhancement	BO KB Tools - Export Tool	Export in KBART format.  A new option has been added to the Advanced export section of the SFXAdmin > Export tool to allow the export of SFX holdings information in KBART format.  Each target is exported as a separate file, as per KBART format requirements, and all files are compressed into one zip file for easier downloading.  The new KBART format is also available in the commandline version of the Export tool and can be defined via the Advanced Export profiles section.	SFX General User Guide and SFX Advanced Users Guide	templates/sfxctrl/export/export.tmpl templates/js/admin_tools/export.js lib/Admin/Tool.pm sfxadmin/profile.cgi lib/Admin/Tool/Kbart.pm admin/kbtools/export.pl lib/DBLayer/TargetService.pm lib/Admin/Tool/Kbart.t sfxadmin/export.cgi	SFX-5072	
Enhancement	Back Office - General	Added support for monthly tasks to the Centralized Management of Maintenance Tasks. It is now possible to specify which day of the month (a number between 1 and 31) a maintentance task should be run.	SFX System Administration Guide	lib/CentralJobManagement/ConfigUtil.p m lib/CentralJobManagement/Problematic Jobs.pm	SFX-5451	
Enhancement	Front End - A-Z List	Added the ability to restrict access to AZ interfaces (Journals and eBook Search) by IP/IP range. This defect requires a script called patchpre-4.7.2-5.pl to be run as part of the revision to add a new section to the existing configuration file config/connection_user.config_	SFX System Administration Guide	cgi/core/azlist_ver3/a-z.cgi config/connection_user.config_ revision_maker/applysw/patch-pre-4.7.2- 5.pl revision_maker/applysw/add_az_ip_rest riction_section.pl revision_maker/applysw/foreachinstanc e.pl		

Type of	Component	Description	Related Documentation	File List		SI
Change						Number
Enhancement	KB Data - KB Data	Provide an option for the Ex Libris KB team to load authors of type undefined for data files where the author type (personal, corporate, and meeting) was not provided by the vendor.  This defect requires a script to be run as part of the revision, called patch-pre-4.7.2-2.pl to make the necessary database table changes.	SFX General Users Guide	dbs/sqltab/KB_AUTHORS.tab dbs/sqltab/KB_AUTHORS_REPORT.ta b dbs/sqltab/KB_AUTHORS_FT_INDEX.t ab sfxadmin/search_objects.cgi templates/js/admin/object/search_condi tion_control.js lib/Admin/Object/Search.pm lib/MetaData/AuthorManager.pm lib/DBLayer/AuthorsFTIndex.pm lib/DBLayer/Authors.pm lib/DBLayer/Authors.pm lib/MetaData/Validator/Author.pm revision_maker/applysw/patch-pre-4.7.2 2.pl	SFX-5433	
Enhancement	Utilities - Server Admin Util	Added an option to schedule the MARCit! process via the Server Admin Utility. Additionally, a new Exports/Imports option has been added to the Server Admin Utility. Existing options related to exporting or importing information, such as MARCit!, Google, and Primo Exports have been moved under this new option.	System Administration Guide	admin/server_admin_util admin/kbtools/marc_enhancement.cron admin/kbtools/marcit_scheduler.pl	SFX-5385	
Enhancement		Improve KBManager target name search to allow target names without an underscore to be searchable.	SFX General Users Guide	templates/sfxctrl/target/list.htm	SFX-5362	
Defect	Back Office - A-Z List	Fixed the problem in the AZ Journal List where if a search consisted of the digit '0' in a Contains or Starts With search, the search returned no results. This problem has been fixed.		lib/AZLIST/SearchInput.pm lib/Solr/AZQuery/StatementHandler.pm	SFX-5432	117911

Type of Change	Component	Description	Related Documentation	File List	Defect Number	SI Number
Defect	Back Office - KBManager	Fixed the problem with a display of the List of Portfolios window of the KBManager. In low resolution monitors, the SFX button was not accessible. This problem has been fixed.		templates/css/sfx_admin.css templates/sfxctrl/portfolio/list.tmpl	SFX-5395	
Defect	Back Office - KBManager	Long titles (more than 30 characters) in Hebrew, Chinese, Japanese, and Korean languages had broken characters in the Object List in the SFX Admin > Search Objects results page. This problem has been fixed.		lib/Admin/Object/List.pm templates/sfxctrl/object/list.tmpl templates/css/sfx_admin.css	SFX-5375	
Defect	Back Office - KBManager	The maximum length of the Linking Parameter field has been increased from 256 bytes to 1024 bytes. This defect requires a script called patch-pre-4.7.2-6.pl to be run as part of the revision to make the necessary database table changes.		dbs/sqltab/KB_LINKING_PARAMETER S.tab dbs/sqltab/KB_LINKING_PARAMETER S_REPORT.tab dbs/sqltab/LCL_LINKING_PARAMETE RS.tab dbs/sqltab/LCL_LINKING_PARAMETE RS_REPORT.tab	SFX-5157	64584
				revision_maker/applysw/patch-pre-4.7.2-6.pl		
Defect	Back Office - KBManager, BO KB Tools - Export Tool	Fixed the problem with a missing space between last and first names when displaying or exporting a locally created personal author Full Name.		lib/MetaData/AuthorManager.pm	SFX-5485	
Defect	Back Office - Other	Fixed the problem with scheduling tasks in the Collection Tool. The scheduling failed when the option ACTIVE for targets was selected.		lib/Admin/CollectionTool/CollectionCove rage.pm	SFX-5345	

Type of	Component	Description	Related Documentation File List	Defect	SI
Change Defect	Back Office - SFXAdmin - General	Additional text has been added to the help text in SFX Admin Center - Menu Configuration - Menu Design to clarify the selection and configuration of the different template sets.	templates/sfxctrl/custom/general_config uration.tmpl templates/sfxctrl/custom/simplified_and _mobile_configuration.tmpl	Number SFX-5374	Number
Defect	Back Office - SFXAdmin - General	Korean objects were not displayed correctly in SFX Admin Center. In SFX Admin > View/Edit Object pages. Korean objects displayed WRITING_SYSTEN-KANA instead of WRITING_SYSTEM-HANGUL. This problem has been fixed.	sfxadmin/search_objects.cgi	SFX-5449	
Defect	Back Office - Statistics	Added support for EISSN in the Statitistics Query 9 report. Before the change, the report included only usage information for print ISSNs.	lib/Stats/Query_9.pm	SFX-5355	
Defect	BO KB Tools - Data Loader	Improved the dataloader report. During the translation phase of the DataLoader tool - where SFX tries to find matching print ISSN if the load file included eISSNs - there were confusing warning messages if no print ISSN exist in the SFX KnowledgeBase. These messages have been changed to make it clearer that there is no problem in such cases.	lib/Admin/Tool.pm	SFX-5378	103243
Defect	BO KB Tools - Export Tool	Improved the performance of the MARC XML export by eliminating redundant time queries from the OS. Time information from the OS is used for timestamp information in the MARC XML file, but the query was performed more than once. This was not necessary and could reduce performance.	lib/Admin/Tool.pm	SFX-5534	

Type of Change	Component	Description	Related Documentation	File List	Defect Number	SI Number
Defect	BO KB Tools - Export Tool, General - Other	Fixed the problem in the Google export file with parsedDate thresholds of type greater than. When translating these thresholds to the XML format <from></from> of the Google holdings file, the same mechanism was used for '<' and '<=', resulting in incorrect year information. This problem has been fixed.		lib/Admin/Tool.pm	SFX-5333	
Defect	Front End - A-Z List	The sorting of targets in the AZ list was based only the configuration file sort_services.config This was changed to ensure that the sorting of AZ list targets is per the configuration defined for the SFXMenu (either via SFXAdmin > Menu configuration or via configuration file sort_services.config_).		lib/AZLIST/Base.pm	SFX-5344	
Defect	Front End - eBook Search	Deprecated Solr data directory was removed from the SFX tree. This defect requires a script called patch-post-4.7.0-1.pl to be run as part of the revision to delete the Solr data directory for all instances at:  /exlibris/sfx_ver/app/apache-solr-3.5.0/sfx/solr/		revision_maker/applysw/patch-post- 4.7.2-1.pl	SFX-5036	
Defect	Front End - eBook Search	Fixed problem with author searches in eBook search for Japanese books. The eBook search did not find results when searching by author name, due to incorrect decoding of the author name's value. This problem has been fixed.		lib/Solr/AZQuery/StatementHandler.pm	SFX-5370	

Type of Change	Component	Description	Related Documentation	File List	Defect Number	SI Number
Defect	Front End - eBook Search, General - Other	The Solr logging process has been changed and will be controlled by the following file:  SOLR_HOME/resources/og4j.proper ties  The following changes have been made:  1. The Solr log file (solr.log) will be now written to the SOLR_HOME/logs/directory (instead of <global_user>/logs/directory).  2. The log is configured as a weekly rotational log.  3. The log format has been changed to display the date in a user-friendly way.  The new configurations are installed by a revision script called patch-post-4.7.2  2.pl. A restart to Solr is performed automatically as part of the revision update in order for the new settings to take effect.</global_user>	-	admin/init_scripts/solr.pl solr/resources/log4j.properties  revision_maker/applysw/patch-post- 4.7.2-2.pl	SFX-5331	
Defect	General - Other	Fixed the problem with warning messages in the apache error log.		lib/SFXMenu/Output/IMG.pm	SFX-5354	105878
Defect	General - Other	Fixed the problem when using the Server Admin Utility option to change database passwords. If an incorrect root password was provided, the tool did not fail but continued to ask for a new password. No clear error message was provided.		admin/database/passwd.pl	SFX-2806	

Type of	Component	Description	Related Documentation	File List	Defect	SI
Change Defect	General - Other, KB Data - KB Data	Text for the relation type OTHER_BOOK_EDITION and text to describe related objects' services have been added to the KB_MULTILANGUAGE table for languages other than English.		revision_maker/applysw/patch-post- 4.7.2-3.pl revision_maker/applysw/patch-post- 4.7.2-4.pl	Number SFX-5278	Number
Defect	General - Other, Utilities - Other	Fixed the problem with the Solr daemon not correctly identifying that Solr is running.		admin/init_scripts/solr.pl admin/init_scripts/solr_daemon.pl lib/Solr/Maintanance.pm	SFX-5332	
Defect	SFX Menu - Resolver	Fixed the problem with SFX XML API targets not using DOI linking (via dx.doi.org). The problem occurred only for the SFX Menu XML response if a target service was not enabled to do a CrossRef look-up.		lib/SFXResolver/Engine.pm	SFX-5442	
Defect	Utilities - Create/Drop Instance	Fixed the problem with warning messages displayed when creating a new SFX instance - when using MySQL 5.6.		lib/DBLayer/Base/Database.pm dbs/sqltab/LCL_MULTILANGUAGE.trg dbs/sqltab/LCL_TITLE.trg dbs/sqltab/LCL_TITLE_KEYS.trg	SFX-5418	
Defect	Utilities - Other	Fixed the file permission problems for /exlibris/sfx_ver/sfx4_1/sfxglb 41/dbs/sqltab/run_sql_file.pl file. The file permissions resulted in error messages in the MySQL error log and caused the daily authors index delta merge to fail. This defect requires a script called patch-pre-4.7.2.pl to be run as part of the revision.		revision_maker/applysw/patch-pre-4.7.2 4.pl	SFX-5297	90259, 91481

Type of Change	Component	Description	Related Documentation	File List	Defect Number	SI Number
Defect	Utilities - Other	The Centralized Management of Maintenance Task tool has been improved to provide a clear error message if a task could not be started because a Solr index build was running.		admin/aztools/solr_index_builder.pl	SFX-5387	
Defect	Utilities - Server Admin Util	Fixed the problem starting the Server Admin Utility if the MySQL database is down. This defect requires a script called patch-pre-4.7.2.pl to be run as part of the revision.		revision_maker/applysw/patch-pre-4.7.2-1.pl	SFX-5401	
Defect	General - Other	Improved the method of retrieving object portfolio data to prevent a potential MySQL overload when clicking the <b>Send To Ex Libris</b> link in KBManager (for targets with a very large amount of portfolios).		sfxadmin/crm_si_creation.cgi lib/DBLayer/ObjectPortfolio.pm	SFX-5486	
Defect	Security - Apache	Disabled the Apache HTTP TRACE Method, to prevent Trace Method Support Cross-Site Tracing Vulnerability in the Apache web server.  This defect requires a script called patch-pre-4.7.2.3.pl to be run as part of the revision to disable the Trace method in the httpd.conf file of the reverse proxy and sfxglb41 instance.  Note that the reverse proxy and the global instance's apache servers are restarted automatically as part of the revision update in order for the new settings to take effect.		proxy/conf/httpd.conf config/httpd.conf revision_maker/applysw/patch-pre-4.7.2- 3.pl	SFX-5337	104465

Type of	Component	Description	Related Documentation	File List	Defect	SI
Change	Component			=	Number	Number
Defect	security - Scripting (XSS.script)	Fixed the problem with XSS vulnerabilities in the SFX Admin > KB Manager module. This was fixed by displaying the XSS violation occurred message when a vulnerability is found in URL parameters. The mechanism uses same configuration file as SFX Menu and AZ (config/XSSlist.config file).		sfxadmin/sfxctrl.cgi	SFX-5335	
Defect	security issue - URL redirection	The SFXAdmin > KBManager module has been changed to prevent URL redirection attacks.		sfxadmin/sfxctrl.cgi	SFX-5336	
Defect	SFX Menu - Resolver	The SFX module Engine.pm has been changed to allow proxy programs to fetch values from the parse_param fields and CTXO. This allows customers to create local proxy modules and use information from the ContextObject, such as parse param information, notes, etc.		lib/SFXResolver/Engine.pm	SFX-5357	

Chan	Changed KB Software							
Type of Change	Component	Description	Solution	File List				
Correction	TargetParser	Special handling of page ranges in article level links in Ovid Journals.	The OVID::Journals target parser has been updated to handle the full page range of an article link correctly.	lib/Parsers/TargetParser/OVID/Journals.pm				
Correction	Source Parsers	Update the PRIMO source parser to parse a URL sent via OpenURL.	·	lib/Parsers/SourceParser/OpenURL_1_0/pri mo.pm				

# New Targets and Target Services

Target Name	Description	Target Service	Linking Level	For More Information
KNOVEL_NONDESTRUCTIVE_TESTING_ACADEMIC	Knovel Engineering Information Solutions - The	getFullTxt	BOOK	For more
	Complete Academic Collection. Does not			information:http://www.elsevier.co
	include Taylor and Francis content.			m/online-tools/knovel/about
KNOVEL_CENTER_FOR_CHEMICAL_PROCESS_SAFET	Knovel Engineering Information Solutions - The	getFullTxt	JOURNAL	For more
Y_PREMIUM_ACADEMIC	Complete Academic Collection. Does not			information:http://www.elsevier.co
	include Taylor and Francis content.			m/online-tools/knovel/about
KNOVEL_COMPOSITES_ACADEMIC	Knovel Engineering Information Solutions - The	getFullTxt	BOOK	For more
	Complete Academic Collection. Does not			information:http://www.elsevier.co
	include Taylor and Francis content.			m/online-tools/knovel/about
KNOVEL_MARINE_ENGINEERING_ACADEMIC	Knovel Engineering Information Solutions - The	getFullTxt	JOURNAL	For more
	Complete Academic Collection. Does not			information:http://www.elsevier.co
	include Taylor and Francis content.			m/online-tools/knovel/about
KNOVEL_SOFTWARE_ENGINEERING_ACADEMIC	Knovel Engineering Information Solutions - The	getFullTxt	JOURNAL	For more information:
	Complete Academic Collection. Does not			http://www.elsevier.com/online-
	include Taylor and Francis content.			tools/knovel/about
KNOVEL_NONDESTRUCTIVE_TESTING_CORPORATE	Technical and engineering books provided by	getFullTxt	JOURNAL	For more information:
	Knovel.			http://why.knovel.com/
KNOVEL_CENTER_FOR_CHEMICAL_PROCESS_SAFET	Technical and engineering books provided by	getFullTxt	JOURNAL	For more information:
Y_PREMIUM_CORPORATE	Knovel.			http://why.knovel.com/
KNOVEL_COMPOSITES_CORPORATE	Technical and engineering books provided by	getFullTxt	BOOK	For more information:
	Knovel.			http://why.knovel.com/
KNOVEL_MARINE_ENGINEERING_CORPORATE	Technical and engineering books provided by	getFullTxt	BOOK	For more information:
	Knovel.			http://why.knovel.com/
KNOVEL_SOFTWARE_ENGINEERING_CORPORATE	Technical and engineering books provided by	getFullTxt	JOURNAL	For more information:
	Knovel.			http://why.knovel.com/
VERLAG_C_H_BECK	Verlag C.H. Beck is part of Gruppe-Beck, a	getFullTxt	JOURNAL	For more
	German publisher of laws, regulations, law			information:http://elibrary.chbeck.d
	journals, and books.			e/index.php

Service Level	
getFullTxt ARTICLE	For more information:http://www.sagepub.com/librarians/premier.sp
getFullTxt BOOK	For more information: http://books.istor.org/
getFul	ITxt BOOK

## **Implementation Instructions**

#### Elsevier ScienceDirect Automated Download & KB Loader

Elsevier now provides a new mechanism to allow institutions to update automatically their entitlements within the ScienceDirect, ebooks, and ejournals offerings. In SFX version 4.7.2 the option to use this automation to SFX has been added. To allow you to use this feature, a new option has been added to the SFX ServerAdmin Utility to automatically download the Elsevier ScienceDirect holdings file (in KBART format) and to update the Science Direct title lists in the SFX KnowledgeBase (activate and load local coverage). In addition, two new dedicated targets have been added to the SFX KB to work with the automated load option.

**Note**: The Elsevier customer ID that you need to activate this service is not yet available from Elsevier; therefore, you cannot activate this service yet. We will provide more information on how to obtain the customer ID when it becomes available.

The following is the workflow of the automated process:

- 1. The Elsevier ScienceDirect customer holdings file is downloaded in KBART format, using the customer specific credentials stored in the Elsevier configuration file.
- 2. The file is split into a monograph and serial file based on the publication\_type (serial or monograph) and stored locally as two separate files in the SFX scratch directory.

Note: If the publication\_type column contains no value, the record is skipped.

- 3. If either the default or if only one institute or group is specified in the program:
  - a) Dataloader runs for the downloaded and split files to activate and add local thresholds to the following dedicated Elsevier ScienceDirect targets:
    - ELSEVIER\_SCIENCE\_DIRECT\_ AUTOLOAD\_JOURNALS
    - ELSEVIER SCIENCE DIRECT AUTOLOAD BOOKS
  - b) Portfolios not included in the load file are deactivated.
- 4. A report is produces with the following information:
  - information concerning any problems that may have occurred during the download or deactivation step
  - · the location of the dataloader report files

## Scheduling the Automated Process

The recommended schedule for this autoload process is monthly. You can schedule the process via the Server Admin utility. You can also use the Centralized Management of Maintenance Tasks for mulitinstance SFX environments via the Job Manager to manage the scheduling of this process A new option has been added to this tool to accommodate the autoload process.

# Configuring the Automated Localization of the Elsevier Science Direct Targets

1. Request an institutional token from Elsevier and place it in the following configuration file together with the email address of the SFX administrator:

```
config/elsevier sd autoloader.config
```

- 2. In KBManager, activate the following two dedicated targets and their getFullTxt target services:
  - In KBManager, activate the following two dedicated targets and their getFullTxt target services: ELSEVIER SCIENCE DIRECT AUTOLOAD JOURNALS
  - ELSEVIER SCIENCE DIRECT AUTOLOAD BOOKS
- 3. If manually activated Elsevier targets are currently in use in the SFX KB, activate the following display logic rule:

If available: ELSEVIER\_SCIENCE\_DIRECT\_AUTOLOAD getFullTxt

Do not show: ELSEVIER\_SD\_getFullTxt

This rule prevents duplicate Elsevier ScienceDirect targets from being displayed in the SFX menu during the transition period.

- 4. Run the Elsevier autoload option from ServerAdmin Utility (from the Main menu select 8 Import/Exports and then 4 Elsevier ScienceDirect Autoloader) and set up a scheduled task to run the autoload option once a month, either per local instance or via the Centralized Management of Maintenance Tasks option.
- 5. If manually activated Elsevier targets are currently in use in the SFX KB:
  - a Use the Collection tool (SFXAdmin > KBTools > Collection tool) to compare the activation and thresholds between the new autoload targets and previously manually activated targets. This allows you to check that all activations are now in place in the new dedicated Elsevier ScienceDirect targets.
  - b Deactivate the old, manually activated targets and portfolios

### Configurations for Consortia

The program can be configured to work with multiple holdings files per instance (one per institute), each with separate credentials. Run the program separately for each institute.

For consortia API customers, perform all Elsevier ScienceDirect target activations in the local instance, to allow you to use the autoloader.

The Elsevier file contains all holdings per institution, regardless of whether the books or journals are purchased by the consortium or locally.